



**4682HD**

**HD COLOUR AUDIO/VIDEO UNIT, IKALL SERIES. VIP**



ViP system audio-video unit with terminal block, complete with colour camera. Resolution 1280x720 pixels. Recording angle 110° (H) - 80° (V). IR led camera lighting. Complete with terminal block and digital audio management system with Echo-cancelling, watertight loudspeaker and electrets microphone; loudspeaker volume can be adjusted from the front. Programmable audio visual functions for users with disabilities. Standard POE audio-video unit, but if necessary 33 VDC power supply can be used the power supply unit art. 1595. Compatible with H.264 video format. Dimensions: 102x55x38 mm.


**4682HD**
**HD COLOUR AUDIO/VIDEO UNIT, IKALL SERIES. VIP**
**MAIN FEATURES**

Audio/video system:	Yes
Output for induction loop module:	Yes
Camera:	Colours
Diagonal viewing angle (°):	125
Video encoding:	H.264
Lens size (mm):	2,8
Power supply voltage:	30 ÷ 57
Clamps:	TX- TX+RX- RX+V- V+RTE GND SE COM NC NO
Microphone:	Yes
Microphone volume control:	Yes
Loudspeaker:	Yes
Loudspeaker volume control:	Yes
Operating temperature (°C):	-35 ÷ 55
Signal/noise ratio (dB):	40

**FUNCTIONS**

Key button function:	Yes
----------------------	-----

**HARDWARE SPECIFICATIONS**

Visual signalling:	Yes
Acoustic signalling:	Yes
Speech synthesis:	Yes

**SETTINGS**

Loudspeaker volume control:	Yes
Microphone volume control:	Yes

**GENERAL DATA**

Height (mm):	55
Width (mm):	102
Depth (mm):	38

**COMPATIBILITY**

Vip system:	Yes
-------------	-----

**CONNECTIVITY**

Ethernet ports:	1
-----------------	---



**4682HD**

**HD COLOUR AUDIO/VIDEO UNIT, IKALL SERIES. VIP**

ELECTRICAL SPECIFICATIONS

Door release (dry contact bridge):	Yes
Door release (direct current output):	Yes