



IPNVR108DPOE

NVR W/8 IP INPUTS, 5MP POE, 1TB HDD



Stand-alone NVR with 8 PoE IP inputs 5MP / 3MP / FULL-HD (1080p) / HD (960p/720p), ONVIF 2.2 compatible.

**IPNVR108DPOE****NVR W/8 IP INPUTS, 5MP POE, 1TB HDD**

MAIN SPECIFICATIONS

- Up to 5MP resolution
- video analysis management with dedicated cameras(target counting, object left/removed, enter area, line crossing, motion detection)
- Support dual password authentication
- Dual Streaming recording
- Single channel instant playback (30 minutes max)
- Real time event log display
- Support channels grouping and groups sequence
- S.M.A.R.T. function for checking the correct operation of the HDDs
- Saving recordings in anti-fake proprietary format

MANAGEMENT SOFTWARE

- Comelit View 100
- app Comelit View 100 (Android, iOS)


IPNVR108DPOE
NVR W/8 IP INPUTS, 5MP POE, 1TB HDD
MAIN FEATURES

Video inputs:	8 (5MP, 3MP, Full-HD, HD, D1)
Main video output:	1 (VGA), 1 (HDMI) - 1920x1080@60Hz, 1280x1024@60Hz
Alarm Inputs/Outputs:	2/1
Video compression:	H.264, MJPEG/16÷8000 kbps
Playback / recording frame rate:	240fps@5MP real time
HDD supplied size:	1TB (8TB max)
Additional Hard Disks (SATA):	1 (8TB max)

SOFTWARE/FIRMWARE SPECIFICATIONS

Recording methods:	Auto, manual, scheduled, motion
Maximum number of channels being played simultaneously:	1@5MP/3MP, 4@Full-HD, 8@sub stream
Protocols supported:	Comelit DNS, DDNS, DHCP, HTTP, ONVIF 2.2, SMTP, TCP/IP, UPnP
IP assignment:	Manual, DHCP
Max bandwidth (Mbps):	50
Remote control via browser:	Internet Explorer, Firefox, Chrome, Safari
Remote control by mobile:	App Comelit View 100 (Android, iOS)
Users connected at the same time:	8 (70 Mbps max)
Main functions:	Watermarking, Video analysis (only with dedicated cameras), Dual password authentication, Instant playback function

FUNCTIONS

Motion detection (zones):	396
Anti-tampering:	Yes
Loss of video signal:	Yes
Gestion PTZ par RS485 (protocoles Pelco-P, Pelco-D):	Yes
E-mail notification:	Yes

HARDWARE SPECIFICATIONS

Type of connections/ports:	2xUSB 2.0, 1xRS485, 8xEthernet 10/100 Mbit/s PoE (IEEE 802.3at, 80W max)
----------------------------	--

GENERAL DATA

Max absorption (W):	18
Height (mm):	48
Width (mm):	360
Depth (mm):	243
Weight (g):	2600



IPNVR108DPOE

NVR W/8 IP INPUTS, 5MP POE, 1TB HDD

GENERAL DATA

Type of finish:	Metallic
Colour:	Black
Operating temperature (°C):	-10 ÷ 55
RH max operating humidity (%):	90
Supplied accessories:	Power supply



IPNVR108DPOE

NVR W/8 IP INPUTS, 5MP POE, 1TB HDD

ACCESSORIES

IPNVR108DPOESL NVR W/8 5MP IP INPUTS, POE, NO HDD



SDSK324A

SATA HARD DISK, CAPACITY OF 1 TB, FOR DVR/NVR START SERIES
1 TB SATA Hard Disk, suitable for use in DVR and NVR Start (S) series.

