



IPNVR108FPOESL

NVR W/16 IP INPUTS 5MP (8 POE), NO HDD



Stand-alone NVR with 16 PoE IP inputs 5MP (8 PoE), ONVIF 2.2 compatible.

**IPNVR108FPOESL****NVR W/16 IP INPUTS 5MP (8 POE), NO HDD**

MAIN SPECIFICATIONS

- Up to 5MP resolution
- video analysis management with dedicated cameras(target counting, object left/removed, enter area, line crossing, motion detection)
- Support dual password authentication
- Dual Streaming recording
- Single channel instant playback (30 minutes max)
- Real time event log display
- Support channels grouping and groups sequence
- S.M.A.R.T. function for checking the correct operation of the HDDs
- Saving recordings in anti-fake proprietary format

MANAGEMENT SOFTWARE

- Comelit View 100
- app Comelit View 100 (Android, iOS)


IPNVR108FPOESL
NVR W/16 IP INPUTS 5MP (8 POE), NO HDD
MAIN FEATURES

Video inputs:	16 (8 PoE 3/5MP+8 3/5MP)
Main video output:	1 (VGA), 1 (HDMI) - 1920x1080@60Hz, 1280x1024@60Hz
Alarm Inputs/Outputs:	2/1
Video compression:	H.264, H.265, MJPEG/16÷8000 kbps
Playback / recording frame rate:	240fps@5MP real time
Additional Hard Disks (SATA):	2 (2x8TB max)

SOFTWARE/FIRMWARE SPECIFICATIONS

Operating system:	Linux embedded
Recording methods:	Auto, manual, scheduled, motion
Recording type:	Dual streaming
Maximum number of channels being played simultaneously:	1@5MP/3MP, 4@Full-HD, 8@sub stream
Protocols supported:	Comelit DNS, DDNS, DHCP, HTTP, ONVIF 2.2, SMTP, TCP/IP, UPnP
IP assignment:	Manual, DHCP
Max bandwidth (Mbps):	50
Remote control via browser:	Internet Explorer, Firefox, Chrome, Safari
Remote control by software:	Comelit View 100 (Windows)
Remote control by mobile:	App Comelit View 100 (Android, iOS)
Users connected at the same time:	8 (70 Mbps max)
Main functions:	Watermarking, Video analysis (only with dedicated cameras), Dual password authentication, Instant playback function

FUNCTIONS

Motion detection (zones):	396
Anti-tampering:	Yes
Loss of video signal:	Yes
Gestion PTZ par RS485 (protocoles Pelco-P, Pelco-D):	Yes
E-mail notification:	Yes

HARDWARE SPECIFICATIONS

Type of connections/ports:	2xUSB 2.0, 1xRS485, 8xEthernet 10/100 Mbit/s PoE (IEEE 802.3at, 80W max)
----------------------------	--

GENERAL DATA

Max absorption (W):	18
Supply voltage (VAC):	100÷240, 50÷60Hz
Height (mm):	48



IPNVR108FPOESL

NVR W/16 IP INPUTS 5MP (8 POE), NO HDD

GENERAL DATA

Width (mm):	360
Depth (mm):	243
Weight (g):	2600
Type of finish:	Metallic
Colour:	Black
Operating temperature (°C):	-10 ÷ 55
RH max operating humidity (%):	90
Supplied accessories:	Power supply, Mouse